



Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	<input type="text"/>  
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
Generate:	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image

Search

Clear

Interrupt

Search History

DATE: Tuesday, June 13, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L42</u>	L31 and L41	33	<u>L42</u>
<u>L41</u>	707.clas.	35241	<u>L41</u>
<u>L40</u>	707/3	8720	<u>L40</u>
<u>L39</u>	L31 and 705.clas.	144	<u>L39</u>
<u>L38</u>	L31 and 715.clas.	12	<u>L38</u>
<u>L37</u>	L31 and 235.clas.	2	<u>L37</u>
<u>L36</u>	L31 and 235/751	0	<u>L36</u>
<u>L35</u>	L31 and 715/751	1	<u>L35</u>
<u>L34</u>	L31 and 709.clas.	25	<u>L34</u>
<u>L33</u>	L31 and 709/218	3	<u>L33</u>
<u>L32</u>	L31 and 709/204	2	<u>L32</u>
<u>L31</u>	l26 and ("request for proposal" or "rfp")	727	<u>L31</u>
<u>L30</u>	l26 and "request for proposal"	0	<u>L30</u>
<u>L29</u>	l28 and "request for proposal"	0	<u>L29</u>
<u>L28</u>	L27 and display with tool	409	<u>L28</u>

<u>L27</u>	L26 and search with query	7971	<u>L27</u>
<u>L26</u>	L25 and (data with base or database)	130317	<u>L26</u>
<u>L25</u>	L24 and research or development	1066895	<u>L25</u>
<u>L24</u>	L23 and ("rfp" or "request for proposal")	6	<u>L24</u>
<u>L23</u>	sponsorship	2056	<u>L23</u>
<u>L22</u>	L21 and ("rfp" or "request for proposal")	1	<u>L22</u>
<u>L21</u>	(sponsorship near industry or sponsorship with industry or sponsorship adj industry)	34	<u>L21</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L20</u>	'5922079'.pn.	1	<u>L20</u>
<u>L19</u>	'5844553'.pn.	1	<u>L19</u>
<u>L18</u>	'5844553'.pn.	1	<u>L18</u>
<u>L17</u>	'5848427'.pn.	1	<u>L17</u>
<u>L16</u>	'5862223'.pn.	1	<u>L16</u>
<u>L15</u>	'5940082'.pn.	1	<u>L15</u>
<u>L14</u>	'5444844'.pn.	1	<u>L14</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L13</u>	L12 and (search with query or search near query or search adj query)	21	<u>L13</u>
<u>L12</u>	L11 and (data with entry or data near entry or data adj entry)	106	<u>L12</u>
<u>L11</u>	L10 and (database or data with base)	365	<u>L11</u>
<u>L10</u>	L9 and proposal	485	<u>L10</u>
<u>L9</u>	("rfp" or "request for proposals")	2257	<u>L9</u>
<u>L8</u>	l1 and ("rfp" or "request for proposals")	1	<u>L8</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L7</u>	'6362837'.pn.	1	<u>L7</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L6</u>	l3 and ("rfp" or "request for proposals")	4	<u>L6</u>
<u>L5</u>	l2 and ("rfp" or "request for proposals")	0	<u>L5</u>
<u>L4</u>	L3 and product with promotion	17	<u>L4</u>
<u>L3</u>	corporate with (sponsors or sponsor)	278	<u>L3</u>
<u>L2</u>	L1 and corporate with (sponsors or sponsor)	0	<u>L2</u>
<u>L1</u>	product and service near promotion	344	<u>L1</u>

END OF SEARCH HISTORY

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L6: Entry 3 of 4

File: PGPB

Jul 11, 2002

PGPUB-DOCUMENT-NUMBER: 20020091767

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020091767 A1

TITLE: Sponsorship management system

PUBLICATION-DATE: July 11, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Munson, Michael J.	Cupertino	CA	US

APPL-NO: 09/758012 [PALM]

DATE FILED: January 10, 2001

INT-CL-PUBLISHED: [07] G06 F 15/16, G09 G 5/00

US-CL-PUBLISHED: 709/204; 709/218, 345/751

US-CL-CURRENT: 709/204; 709/218, 715/751

REPRESENTATIVE-FIGURES: 1

ABSTRACT:

The present invention comprises methods and apparatus for creating a new marketplace for the sponsorship industry. In one embodiment of the invention, a website allows users to view information concerning a multiple listing of events that may be sponsored. Requests for sponsorship proposals (RFPs) are received from buyers, and displayed to sellers on the website. Sellers may then respond to an RFP by completing a form displayed on the site. Additional information may be obtained by either party, and the site may be used to secure a transaction between the parties. In another embodiment of the invention, the website offers a corporate management tool which may be employed to organize information about the sponsorship of events.

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Patent Assignment Abstract of Title

Total Assignments: 1**Application #:** 09758012 **Filing Dt:** 01/10/2001**Patent #:** NONE**Issue Dt:****PCT #:** NONE**Publication #:** US20020091767**Pub Dt:** 07/11/2002**Inventor:** Michael J. Munson**Title:** Sponsorship management system**Assignment: 1****Reel/Frame:** 011737 /
0428**Received:**
07/12/2001**Recorded:**
04/26/2001**Mailed:**
07/13/2001**Pages:**
4**Conveyance:** ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).**Assignor:** MUNSON, MICHAEL J.**Exec Dt:** 04/19/2001**Assignee:** SPONSORWISE47225 FREMONT BOULEVARD
FREMONT, CALIFORNIA 94538**Correspondent:** THOMAS N. GIACCHERINIPO BOX 1146
CARMEL VALLEY, CA 93924

Search Results as of: 6/13/2006 9:33:58 A.M.

If you have any comments or questions concerning the data displayed, contact OPR / Assignments at 571-272-3350
Web interface last modified: Mar 14, 2006 v.1.9

[First Hit](#) [Fwd Refs](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)☐ [Generate Collection](#) [Print](#)

L38: Entry 11 of 12

File: USPT

Sep 1, 1998

DOCUMENT-IDENTIFIER: US 5802493 A

TITLE: Method and apparatus for generating a proposal response

Abstract Text (1):

A system for generating a document in response to a request for information has the capability of receiving scanned documents that have a series of questions. The present invention has databases of questions and associated answers. A respondent prepares the subject questions for a searching procedure by editing and assigning each question with a number and labels the same with given input parameters. The system searches the question database for a question which exactly matches the subject question or is a like match in that it is similar in text or input parameter value. The system compares each received question with stored questions and return similarly worded questions in accordance with a predetermined match threshold. The respondent may then select an answer associated with the subject question for inclusion in the response document. The present system is also characterized by a maintenance apparatus that allows for systematic upkeep of question and answer databases.

Brief Summary Text (12):

In large measure, health insurance companies are solicited to provide a quote by consultants who deal directly with the organizations or employers. The consultant has met with the "customer", typically the benefits administrator of a company or organization, to obtain needed information on prospective enrollees and the plan requirements. The consultant thereafter generates a request for proposal (RFP) to be circulated around several competing health insurance companies. The RFP is comprised, in part, of a series of questions for the insurance company on its products, company policies and company requirements vis a vis the individuals to be insured, should the insurance company be awarded the contract.

Brief Summary Text (13):

During the time in which the fee for service or simple indemnification programs were dominant, these questionnaires were generally brief; with simple questions that were answered by individuals typically located at the home office of the insurance company. Answers to the questions were based upon previous responses generated for prior RFPs, as well as some input from subject area experts and actuaries. As a result, the time required to generate the response to the RFP was relatively brief; requiring little input from either regional sales offices or subject area experts outside the home office.

Brief Summary Text (14):

However, with the proliferation of new health care products and services, insurance companies began receiving RFP's which increased in length from several dozen questions to several hundred. Moreover, the complexity of the questions has risen and their scope exceeds that of previous years. Legal ramifications of the insurance company's responses have expanded. No longer can the home office simply generate a response. Answers are now short lived, and must be generated by interaction with resources located at disparate points in the company, as well as by local network and utilization management resources. The response time needed by the insurance company to respond to a given RFP in a quality manner has lengthened, while response deadlines established by the consultants have increasingly

shortened.

Brief Summary Text (15):

This new situation has enormously changed the mechanics of the insurance company in generating a response. Some health insurance companies relied on a paper manual which contained a list of questions and appropriate answers to be provided in response to an RFP. This procedure required an individual to examine the questionnaire and personally compare each question with the questions contained in the manual. Once a suitable match was found, the answer with the newly located question was copied by the respondent onto a response form. Unfortunately, the paper manual became out of date almost as soon as it was printed; requiring the individual preparing the response to double check the appropriateness of the manual's answers with the appropriate personnel in the company, both at the local or regional office as well as company headquarters.

Brief Summary Text (16):

Moreover, many questions were simply not found in the paper manual. The respondent then was required to contact a subject area expert within the company to discuss the question on the merits and generate a answer. As different RFP's were being processed in parallel, many questions were repeated.

Brief Summary Text (17):

Consequently, subject area experts were bombarded with the same questions from a variety of respondents; lowering the productivity of these individuals and lengthening the time needed to reply. Other factors caused the overall response process to slow dramatically. The respondent now needed to determine whether an answer was appropriate for that RFP. The new range of health insurance products meant that the same question may have a different response based on a particular product, geographic location or other parameter.

Brief Summary Text (20):

It would be advantageous, therefore, to have a system for use in responding for proposals which receives questions propounded in a Request for Proposal in a manner that allows for comparison with each received question with a database of stored questions. Moreover, it would be advantageous to have a system which would return similarly worded questions in accordance with a predetermined match threshold between the text and input parameters associated with the question. The desirable system would enable a respondent to select an associated answer for inclusion in the final response document. The present system is drawn towards such an invention.

Brief Summary Text (27):

According to the present invention, a method for generating a response document prepared in reply to a request that has a plurality of questions concerning a product, the method including the steps of receiving signals indicative of the questions in a text form; formatting the question text signals into a corresponding plurality of individual questions; assigning identifier signals to each of the individual formatted question signals and associating with the formatted question signals, signals indicative of values of associated input parameters. The present method also includes the steps of searching a database having stored therein signals corresponding to a plurality of stored questions. Each of the stored questions have associated therewith input parameter signals. The stored questions further being associated with signals corresponding to at least one answer stored on an answer database. Further steps in the method are returning signals corresponding to one of the stored questions having text or input parameter signal values that matches a one of the subject question text or the corresponding input parameter signal values; selecting one of the stored answer signal values associated with the returned question; associating each of the subject question signal values with the corresponding one of the selected answer signal values; assembling the response document so that each of the subject questions and the

corresponding answers are located in proximity with one another; and lastly, outputting the response document in a professionally finished format.

Drawing Description Text (2):

FIG. 1 is a simplified diagrammatic illustration of an exemplary proposal response process which can be utilized by health insurance companies in responding to a Request For Proposal (RFP).

Detailed Description Text (2):

The present system was designed and developed to support the questionnaire response component of proposals made by an insurance company. Questionnaires are included in Requests for Proposals (RFP's) specifications provided by consultants/brokers with whom the insurance company does business. Questionnaires are very fluid in structure, varying from one case to another without standard format or a set of questions and without consistency between different products, sites and/or market segments. Moreover, there is no standard workflow in the questionnaire response process, so the present system is flexible enough to handle a myriad of questionnaire:

Detailed Description Text (6):

Referring now to FIG. 1, there is shown a simplified diagrammatic illustration of the proposal response process 10 utilized by health insurance companies in responding to a Request For Proposal (RFP). The company's response as found in the response document is a basic vehicle that insurance companies, and especially health insurance companies, use in generating new business. The speed of the company in reacting and accuracy of the information as presented to the prospect company or organization is absolutely crucial to the success of marketing efforts.

Detailed Description Text (7):

The basic process can be divided into three components; upstream 12 in which the initial decision to produce the proposal is made; midstream 14 where the presentation materials are ultimately prepared. Lastly, there is a downstream portion 16, hopefully resulting in new business being received and processed. When a request for proposal 18 is received by the health insurance company the prospective employer or group is evaluated (block 21) to determine initially if the company wishes to respond. Once a decision has been made to generate a quote (block 24), work on the proposal is begun. As detailed hereinafter, the request for proposal received by the health insurance company contains a questionnaire with a large number of questions to be answered by the health insurance company. Most likely, a consultant or broker has submitted a similar RFP with the same questionnaire to a number of competing health insurance companies. The proposal (block 28) is produced at block 26. Thereafter, the completed proposal is delivered to the consultant at block 30. Once non-competitive bids have been screened at block 32, additional presentation materials are prepared for the broker and ultimately the prospective client (block 34). The information compiled during this process, including the initial decision to quote for the business, is provided to an employer profile database 36. A variety of reports are generated and provided to others in the organization including field, office personnel, the consultant, regional and national offices (blocks 38-46). Should the sale be made (block 47), the new business is processed by the appropriate departments in the insurance company (block 48).

Detailed Description Text (10):

Often times the initial technical contact may not be able to answer the question (block 60), and the respondent must resort to "calling around" (block 62) within the company to locate an expert or equivalent source to obtain the answers (blocks 64-68). Once a contact has answered the question, it must be determined whether the answer is concise and well written (block 70). Thereafter, the question and answer is sent to the legal department (block 72) to verify that it is appropriate to be added to the Database. If the legal department approves the question and

corresponding answer (block 74), it is published in an update for the paper manual (block 76). If not, a technical contact is, again, solicited for advice, and the above process repeated until, ultimately, a concise and well written answer is provided which will obtain all the necessary approvals. Once all the questions have been answered to the satisfaction to the respondent (block 78), the completed questionnaire is retrieved by a proposal support team (block 80) which maintains and updates the paper manual. Lastly, the questionnaire is sent back to the consultant (block 82) as part of the response document.

Detailed Description Text (11):

Referring now to FIG. 3, there is shown an expanded schematic illustration of a portion of the proposal response process illustrated in FIG. 1. One of the first avenues of inquiry in processing (block 84) the RFP entails an employee site match (block 86) which must be done to see whether or not the prospect company and its employees geographic locations are an appropriate match for the doctors and other health care providers that are associated with the proposed plan. To do so, a provider database 88 is accessed. Using the employee address location zip codes from the RFP, a zip code site match against the managed health care network locations would be performed to determine the insurance company's general provider network and product adequacy in the employees home addresses. The purpose of this analysis is that the percent saturation of the doctors and care locations that matches with the employer's employees' home address is an important factor in determining the appropriateness of competing for the business.

Detailed Description Text (12):

The site match results 89 are evaluated (block 90). If a good match is not obtained the analysis results are stored in an employer profile data base 92 comprised of two components. The first component 94 is a historical data base that serves as an archive of all proposed work, with a second data base component 96 of active cases for all responses to RFPs that are still pending. The active case data base is itself comprised of two sections, an employer/employee data base 98 containing information on the employer/employees personally as well as a financial data base 100 storing financial information associated therewith, including costs, etc.

Detailed Description Text (13):

Further analysis tests for favorable values of those parameters used by the insurance company during this process. The employer profile data base is prompted for additional known or speculated information on the prospect. This information is most likely a mix of objective/subjective and quantifiable/non-quantifiable data, each with a list of potential responses and waiting to calculate a final score. Examples of parameters evaluated in this process include the reason(s) this prospect is seeking insurance bids, the length of time the employer has been with its current carrier, the prospect's type of business, its financial condition, the quality of the RFP, the information provided with the RFP, the consultant's relationship with the prospect, the control of the consultant over the bid process, the consultant's relationship with this insurance company, other competitors for this business and whether this company has previously solicited a bid from the insurance company.

Detailed Description Text (14):

If the match is considered appropriate, financial parameters 101 such as pricing are developed using manual rates, TBE, retention, stop/loss and other considerations (blocks 102-108). The final decision regarding the quote for the business is made at block 110. If the decision is affirmative, the financial pages and exhibits are finalized and the response document including the answered questionnaire 111, is generated (blocks 112-116) as detailed hereinafter. If the ultimate decision is negative, this information is recorded in the employer profile data base with a rationale for the decision.

Detailed Description Text (15):

FIG. 4 is a more detailed schematic illustration of the process outlined with respect to FIG. 1 as carried out by the present system. The questions in the RFP questionnaire are entered in to the system either by scanning or typing into computer readable format (block 118). Input parameters are assigned at block 120, including "attributes" such as geographic site, market and size. The present system employs a conventional word processor program 122 which allows for the preparation and editing of the questions 124. The questions are formatted and edited as needed (block 126).

Detailed Description Text (16):

Thereafter, the system conducts a search (block 128) of the question and answer database. Should one or more possible answers be found (block 130), they are presented to the user for evaluation and editing (block 132). If no acceptable answers are found, the questions are sent by electronic mail or other equivalent means to a subject area expert for research (block 134). This individual or individuals will then develop the appropriate answer (block 136) and returns the same to the respondent or requester at block 138. The question and answer is evaluated for future inclusion in the question and answer data base (block 140) before the final editing process. Once all questions are answered (block 142), the questionnaire responses are finalized (block 144) and are presented for inclusion the response document (block 146).

Detailed Description Text (18):

The finished response document sent to the consultant is a composite of many components. The finalized questionnaire (146) is retrieved, together with the finalized executive summary 152. Financial information 154 and pre-prepared pages 156 are gathered as well. At block 158, an installation plan 160 (CIMS) is obtained from the employer profile data base, and a site map 162 is obtained (block 164). These components are combined by the respondent (166) into a finalized proposal (block 168) for presentation to the prospect.

Detailed Description Text (19):

One of the underlying assumptions that is made by the respondent is that the information in the several databases accessed during this process is accurate and up to date. To ensure the same, the databases must be maintained, indicated schematically at 170 in FIG. 4. The present system, as do other known systems, require question and answer databases 171 be maintained, and new questions and answers be added (block 172). In this regard, often those responsible for maintenance publish an update on regular intervals or as needed (block 174) for inclusion in a paper or electronic guide 176. Questionnaire sources are reviewed at block 178, and follow up inquiries, as needed, are made at block 180 with subject area experts so that the databases may be updated (block 182).

Detailed Description Text (20):

FIG. 6 is a simplified schematic illustration of a portion of a response system 184 provided in accordance with the present invention. An RFP questionnaire 186 is typically received in printed form and must be scanned or otherwise electronically processed before input to the system. Commands signals from an operator are received by a system controller 188 via an input device 190, such as a personal computer. The controller is in communication with remote file servers and the like during this process. The respondent uses the input device and its associated display for receiving signals from system as well. Through the controller, the respondent can specify the requisite information which constitutes the input parameters for the process (block 192), including "attributes" 194 corresponding to product, financial arrangement, market, consultant and the like, as well as employer/group information 196. The preferred system utilizes a word processor program 198 of a known type to edit and store received questions as well as format them into a preferred configuration for further use by the system. The word processor also is configured to generate a response document 200 by means of a template which automatically places questions and answers in a standardized form

without the need for direct input from the respondent.

Detailed Description Text (21):

Once the questions from the questionnaire have been initially processed, a searching apparatus 202 interrogates a question data base 204 to locate questions which match the subject question either exactly or to a degree selectable by the respondent. The preferred searching apparatus comprises a "Topic" brand search program sold by the Verity Corporation. In the system, questions are stored in the question data base and have associated therewith an answer or answers stored in answer database 206. The question and answer data base in the preferred embodiment resides on a file server operating in a "Novell" brand local area network (LAN). The file server is a central storage device which is accessible to respondents. One or more of the answers which are returned by the system in dependence on the combination of selectable input parameters as well as the text match between the subject question and those in the question database.

Detailed Description Text (22):

A data base retrieval apparatus or document manager 208 such as the product "Mezzanine" offered by the Saros corporation is used to control the retrieval of the question from the data base as well as updating any information associated therewith. A document assembly apparatus 210 is used in the preferred embodiment under the supervision of the system controller to assemble the array of the questions with each selected answer in the response document for final presentation to a printer or electronic output device 212. The present system also incorporates apparatus 213 for communicating with subject area experts by means of electronic mail.

Detailed Description Text (23):

Other technologies are utilized in or across the various subsystems as part of the present invention. These include Q+E brand database software for management of questions and answers within a case specific questionnaire and Visual Basic screen generation algorithms for screen processing. These tools are deeply embedded in the present system and are not visible to the end user. Those skilled in the art will note that the various software products have been incorporated in the present system by techniques known in the art. For example, developer versions of the searching and document management apparatus have been utilized with custom front end and interface software to create the present system. Similar utilization of other software engines allow for other functions performed by the present invention to be accomplished. Those skilled in the art will also note that the present invention allows for the substitution of other algorithms to perform the functions of the present system with appropriate modifications.

Detailed Description Text (27):

3. updates/work-in-progress (or response documents under development) activity logs.

Detailed Description Text (28):

4. general purpose attributes (i.e., last update date, user name, etc.,) and up to 20 user defined attributes associated with each document in a database/data set (The preferred system makes use of all general purpose and user defined attributes; reference user manual for definition of each).

Detailed Description Text (30):

1. work in-progress and completed case specific questionnaires, to which end users have read/write access via the various subsystems. With each case specific questionnaire, there is a set of 8 documents for processing in the system by one or more of the subsystems, including several in text, word processing, database and table format.

Detailed Description Text (31):

2. Database questions and answers, each as a Microsoft Word formatted (i.e., margins, font styles, etc.,) document. End users or respondents have read only access to these documents; maintenance/updates to the database are processed/managed exclusively by the maintenance personnel to ensure accuracy, quality, and consistency of answers.

Detailed Description Text (32):

The Topic searching apparatus is a sophisticated text searching software. Beyond standard text retrieval search functions (i.e., key word, phrase, proximity, etc.,), it provides for attributes associated with text/documents and a rating/ranking order to search results, which is critical to the system. The questions, answers, and their qualifying attributes in Topic are duplicative of those used in the Mezzanine counterparts, however the Topic versions are not Word formatted documents (i.e., ASCII text versions). This was done for increased performance/response in system searching. Topic is built-in/utilized in the Interactive Search and Batch Search applications only. Word is used for all formatted document viewing and editing, and is built-in/utilized in all applications, Standalone Browse inclusive. The Windows Help feature is used for both Browse applications, i.e., Browse during the response document preparation and with Standalone Browse during maintenance, for access to the databases via a hierarchical subject index.

Detailed Description Text (34):

Initially, the respondent will access a subsystem 216 labeled "Prep" in the preferred embodiment which is used to prepare the questions so that the system can search for similar questions within the question database. In addition, this allows the respondent to set the response document form and correctly format the placement of answers. In the preferred embodiment, a Microsoft "Word" brand word processor is employed. A template document is constructed to configure the questions and answers with place holders which adhere to an established proposal formatting guideline.

Detailed Description Text (37):

Also accessed by the respondent is a "Batch Search" subsystem that executes an algorithm 218 to perform an initial search in the database of the selected questions in the questionnaire. Typically this is done by the system after hours. A questionnaire which has been deferred to the batch search algorithm will normally be available the next morning. The "Batch Search" algorithm provides for unattended questionnaire question matching against the question database, and is actually split into 2 different components.

Detailed Description Text (38):

The first component is available to the respondents and provides for assignment of attributes (i.e., question qualifiers such as product, financial arrangement, etc.,) according to the quote/case specifics. Attributes can be assigned for either the entire questionnaire, a section of the questionnaire, or one question at a time. Once attribute assignments are completed, the respondent would then queue the questionnaire up for a Batch Search. The second component is installed/available on one or some limited number of workstations. It's function is to initiate the actual batch search for all queued questionnaires. This is usually a designated responsibility for a more technically literate staff member. This searching component focuses on the questionnaire question text in combination with assigned question attributes, and attempts to match those to questions and attributes in the question database. In the case of an exact question match, the answer for that question will be pasted into the response document. The system will otherwise produce a list of "like" question matches for review in the Interactive Searching application. Completion of the "Prep" algorithm for a given questionnaire is a mandatory pre-cursor to Batch Search execution.

Detailed Description Text (39):

As detailed hereinafter, questions in the questionnaire of the RFP are compared

against the questions in the database. Exact or like matches are retrieved and displayed next to each questionnaire question. This is an optional function as the system may be operated interactively using the interactive algorithm 220 labeled "Quest" in the preferred embodiment. "Quest" is a trademark of the Assignee of the present invention to describe its system. The interactive algorithm performs the same review select and edit of the questions and the answers as does the batch search function, but does so in real time under the command of the respondent.

Detailed Description Text (40):

The respondent also may select a subsystem 222 for final editing of answers which were not available within the data base under any circumstances and must be input from external sources. As these answers are received by the system, they are inserted into the pre-formatted response document. There is also a subsystem 224 for assembling the documents which is used if the questionnaire was divided into separate subdocuments and distributed among several different respondents. This subsystem combines the sections into a single questionnaire.

Detailed Description Text (43):

Once the questionnaire has been placed into electronic format either by scanning, typing, etc., the text that comprises individual questions must be edited to correct spelling and extraneous material removed. At the beginning of the process, a response document is created containing each question in the questionnaire identified by the respondent. The present invention also creates an associated database file which contains initial information of a bibliographic nature on the product, respondent, consultant, etc. The preparation apparatus of the present invention interacts with the respondent via a screen presented on the input device display. An example of the same is shown in FIG. 8. Screen 226 sets forth some of the text in the questionnaire. The respondent highlights or otherwise indicates the beginning and end of that portion of text 228 which comprises each question. In FIG. 8, text 230 has been selected by the respondent and corresponds to the first question in the questionnaire. After selection, the respondent assigns that text to a question number. Thereafter, the question will be placed in the response document at the corresponding question location.

Detailed Description Text (57):

To modify question information such as text, number, levels, label or type, the respondent deletes the original question and inserts a new question with the correct information. Once the questionnaire has been fully or partially prepared, the respondent saves the questions with the appropriate formats and formatting characteristics. An update is made by the system in the text (response document), database and questionnaire files as well. Moreover, the present system contemplates circumstances where an entire questionnaire will not be completed in a single session, and allows the respondent to exit the session and return. When subsequently accessed, the system will return to the question last addressed. After all of the questions have been identified, the respondent enables a "Build Questionnaire" function. At this point in time, the system begins an initial assembly process of the response document ultimately presented to the prospect.

Detailed Description Text (59):

One of the capabilities provided by the present system is the ability to search in a batch mode. Batch processing significantly increases the throughput of the system and the appropriateness of system responses. Moreover, it reduces the amount of time spent on the part of the respondent or sales consultant who would otherwise interactively search for responses. Achieving the desired benefits is largely dependent on the thoroughness and accuracy of the data maintained in the question database.

Detailed Description Text (68):

The searching apparatus with the present invention conducts a word search of the question database and a further search of attributes. The system will return

questions which have several different levels of matching quality. The most precise match corresponds one in which all of the attributes and parameters match with the subject question as well as an exact match of the text and the number of words in the subject question and the question in the database. For example if the subject question is:

Detailed Description Text (72):

Similarly, the system will return a question as a like match in which the wording is up to 75% identical to that in the subject question, exclusive of additional words where all of the attributes and input parameters assigned to the subject question match exactly with that database question. The system has several other combinations which also are also considered a match. For example, in the situation where all the text in the subject question is identical with a question in the database and the number of words in the question is equal to the number of words in the database question and, finally, if at least one of the attribute values or input parameters assigned to the subject question match at least one of the attributes of the database question, the system will return that question as a like match. The system can also be programmed to accept other combinations of text identity and attribute match. The preferred method of searching the question database is first by character string in the questions to identify those questions, if any, which have any exact match and thereafter to search the input parameter or attribute values to ascertain the level of match.

Detailed Description Text (73):

The present invention identifies those database questions which contain additional language to that set forth in the subject question. It does so by verifying the question word count. Should a database question have precisely the same number of words as the subject question, this situation is recorded initially as an exact match. However, if the number of words in the subject and database question is not equal, the results are saved as a "like match" to a table containing similar questions. In the preferred embodiment there is a plurality of tables which contains the results of the search, including those situations where the identity of attribute values varies. The answer text associated with the each question identified as either a like match or an exact match is saved in order from greatest match to least match, including the word count, question content and the attribute/input parameter equivalency.

Detailed Description Text (74):

In addition to the batch mode, the present invention provides for an interactive mode in which the respondent can search the question database. This subsystem is presented to the respondent at icon 220 in FIG. 7. Though not mandatory, it is recommended that a Batch Search be run on a questionnaire prior to entering the interactive mode. Should a user begin answering questions in the Interactive mode and subsequently execute a Batch Search, all of the work done in by the interactive subsystem will be lost in the preferred embodiment. The only mandatory pre-cursor to executing this subsystem is the execution of the Prep algorithm detailed above.

Detailed Description Text (75):

All of the Batch Search methods are available in this subsystem but are accessed only one question at a time. There are additional end user specified text, attribute, or text and attributes combined search capabilities as well as the ability to "Browse" through the database via a subject index, should text search methods provided prove too resource intensive. The user can also interactively search on answer text, whereas Batch Searching applies to question text only. Also included in the interactive subsystem is a "set question status/referral" feature, which allows for sending questions and answers to a Subject Matter Expert (SME) for a response, and flagging new questions and answers for the database maintenance personnel for review. Use of this feature is critical to keeping the database up-to-date.

Detailed Description Text (76):

The preferred embodiment incorporates algorithms that allow the respondent to interrogate the databases directly in dynamic manner, referred to as "Browse". There are two versions of the Browse application incorporated in the preferred embodiment which, from a respondent perspective, are duplicative of each other. However, they are slightly different from one another technologically speaking in that one can only function when the interactive subsystems are invoked, while the other, referred to as "Standalone Browse", is available in other modes such as during maintenance operations when a specific questionnaire response is not being prepared. The Browse subsystem consists of an on-line manual of database questions and answers, which are accessed via a hierarchical subject index.

Detailed Description Text (77):

The system interacts with the respondent in a screen 268 which is comprised of three parts as shown in FIG. 12. At the top of the screen there is a field 270 which contains the subject question. An answer field 272 follows which will contain the selected answer. At the bottom of the screen is a field 274 indicating the question that is an exact match, or more typically, questions which have been identified by the system as a like match during the search. The respondent can scroll through the list of questions in a known manner. Once a question has been selected for review by the respondent, the associated answer is retrieved from the answer database and appears in the answer field.

Detailed Description Text (78):

Moreover, the present invention contemplates the typical situation where none of the questions which have been returned during the question batch search are appropriate. Accordingly, the present invention allows the respondent to search either the question or answer databases directly and to search by a combination of input parameters rather than the above described text/attribute combination. Once selected the system will interrogate the database for questions or answers which have the same attribute combination as selected. Those skilled in the art will note that the more attributes and input parameters selected as selection criteria, the more narrow the search; thereby increasingly limiting the possible returned questions and/or answers. In searching the question database, the respondent can select a screen in which the subject question is highlighted and the search criteria of parameters is selected. FIG. 13 is a schematic illustration of a screen 276. Field 278 contains the subject question. Fields 280 and 282 respectively contain selected attributes and selection criteria. Fields 284-288 contain category and headings one and two, respectively. In this manner, questions with dissimilar wording but with highly overlapping attributes can be identified as being appropriate for use with the current questionnaire while skipping the question search mode of operation completely. Similarly, the present invention allows the answer database to be interrogated directly in a manner similar to that described above. This is an important point of departure of the present invention over the prior art as it is probable that a single answer will be useful in with a variety of questions. The capability of the present invention allows for direct Access of the answer database and a quicker location of the correct answer in certain situations. Moreover, the present system allows the respondent to browse through either the question or answer database to identify either an appropriate question or an appropriate answer.

Detailed Description Text (83):

(1) closed- a question and answer were found in the database;

Detailed Description Text (84):

(2) send new question- an answer was found but the exact question was not found in the database and has been forwarded to database maintenance;

Detailed Description Text (85):

(3) send new answer -a question and answer were found with other attributes and new

answer has been forwarded to database maintenance;

Detailed Description Text (86):

(4) send new Q/A pair- neither question or answer were not found in the database and have been forwarded to the database maintenance;

Detailed Description Text (87):

(5) send revised answer- an answer was found that needs modifications and has been forwarded to the database maintenance;

Detailed Description Text (88):

(6) send revised attributes- an answer was found that needs modification to its attributes and has been forwarded to database maintenance;

Detailed Description Text (97):

pending- searching or development of an answer has commenced;

Detailed Description Text (102):

One deficiency of the prior art which has been overcome by the present invention lies in the assembly of the response document. In the past, the individual respondents would prepare a response to the questionnaire which would be manually entered onto a word processor or the equivalent before review and final distribution. However, with the present invention in the Final Editing apparatus there is a standardized template prepared by the document assembler which is constructed by the organization responsible for the system. Because document editing and formatting in prior applications is limited, the "Final Edit" apparatus provides a pure word processor editing environment, while securing the actual response document in a questionnaire database for control reasons including limited Access, automated backup, maintenance of versions, and overall system reference. The individual questions are inserted by the system in the proper order and location automatically, without the need for the respondent to do the same manually. When the corresponding answers have been identified, the system pastes the same in a reserved space in the response document. This feature yields a considerable savings in time needed to prepare the response document. Moreover, all of the response documents now have a standardized format which can be changed without input on part of the respondent.

Detailed Description Text (104):

In an other departure of the present invention over the prior art, the present invention has an apparatus (298, FIG. 6) which provides for maintenance of the question and answer databases. As noted above, the questions themselves are dynamic and their respective relationships to associated answers continue to change and evolve. One of the functions of the apparatus 298 is to ensure that the questions and answers stored therein are current as well as are applicable the proper products offered by the insurance company. The maintenance apparatus allows the controller to add and maintain questions and related answers through the use of document management software as well as searching routines such as are respectively found in Mezzanine and Topic software. Moreover, the maintenance apparatus allows the respondents, through the system controller, to track the status of the systems activities and maintain versions as the response document develops.

Detailed Description Text (105):

FIG. 15 is a simplified schematic illustration 300 of several of the processes executed by the maintenance apparatus of the preferred embodiment. As noted above, the respondent gives each question and answer one of nine statuses during the questionnaire response process outlined hereinabove (block 302). The question and answer databases (block 304) contain all of the files needed for this process.

Detailed Description Text (106):

The maintenance apparatus executes an auto link algorithm (block 306) in a periodic

matter preferably twice a week. This algorithm gathers all the questions and answers with a certain status and loads a database management software device, preferably an Access brand database 308 offered by Microsoft with the question and answer information for the maintenance apparatus to be presented to the maintenance personnel. The status data is stored in a separate reference table.

Detailed Description Text (107):

The Access database includes a table which stores information on the questions and answers that are currently being processed by subject matter experts and others responsible for generating questions and answers for storage on the databases. There is also an algorithm executed by the maintenance apparatus which displays to a maintenance personnel which questions are being under review and the individual responsible for that process.

Detailed Description Text (108):

Maintenance personnel control the execution of the algorithm associated with the maintenance apparatus. The maintenance apparatus receives input from the Access database as well as the databases indicated in FIG. 6. In operation, the maintenance apparatus retrieves the questions and answers, name, status, action and author and provides them for a maintenance personnel to view on a display screen. That individual can then select a question or answer. The apparatus interrogates the appropriate database and, when found, the document management apparatus provides a copy of a document with the retrieved text to a temporary directory. Thereafter, the copy document is opened using a word processor shown at block 310. Text from the copy document is retrieved and loaded into an appropriate location in the maintenance program. Once identified as a question, for example, an appropriate answer is retrieved from the answer database.

Detailed Description Text (109):

If the text corresponds to an answer, all of the associated questions are to be retrieved from the question database. The maintenance apparatus then accomplishes the same by instructing the searching apparatus to retrieve the text for the associated questions or answer inputs the text into another text box on a screen presented to the maintenance personnel. If the question is to be edited, the individual performing the maintenance does the same using the word processor with the loaded document. After all the edits are made, the maintenance application saves and closes the document and has the appropriate document information provided to the document manager with the status field set to UPDATE.

Detailed Description Text (110):

Similarly, if the maintenance personnel desires to update the attributes of the question or answer, then the maintenance apparatus retrieves the same from the appropriate database and presents them on the display. After the attributes are updated, all of the attributes are written back to the document manager which stores the same as "protected" and/or "unprotected" items. A protected item has a word processor file associated with it that contains the actual text for the question and/or answer. An unprotected item does not have an associated word processor file. If the question or answer is new (does not occur in either database as of yet), then its respective attributes are written to a protected item. When the question or answer has its attributes updated, they are correspondingly written back to the protected item. If the question or answer has been revised (already present in the appropriate database) a different process is executed. An unprotected item is first created with all of the updated attributes are stored in the unprotected item. The status field associated with the unprotected item is set to UPDATE ATTRIBUTE. If the question/answer has text change the status field is set to UPDATE BOTH.

Detailed Description Text (111):

The reason the present system creates an unprotected item is so that the maintenance personnel can submit the question or answer to NO ACTION. If this

status is selected, the individual does not want any of the changed attributes to be updated. If the question or answer is new, then the status would then be set to DELETE. If it is revised, then the unprotected item is deleted and the status is set to ACTIVE. When the maintenance individual is finished editing the question/answer, it is submitted to the appropriate database and a proposal number field with the protected item is marked SAVE. This parameter informs an update program that, when processing, the question or answer should be classified as one that has been changed and should be updated.

Detailed Description Text (112):

Also associated with the maintenance apparatus is a device 312 which acts to receive electronic mail including questionnaires and questions and answers from the sales consultants and respondents. The maintenance individual can open the word processing software with the questionnaire and select the appropriate text for each question or answer or question and answer pair. The text is then copied to its own document given a name and correlated with the document management apparatus. Thereafter, the question/answer can be assigned to a specific one of the maintenance personnel. A record is also created in the Access database. The author field is assigned the name of the maintenance individual the action field is set to new and the current status field is set to initial review. Should a question and answer pair be provided in this matter, the answer identification is assigned to the answer field.

Detailed Description Text (113):

Also included with the maintenance apparatus is a device 314 enabling a report generated in a pro-active manner to monitor all the questions and answers that have been set to a subject matter expert with a set expiration date. This allows the database to be continually updated in a proactive manner. The maintenance individual executes this report by selecting the pro-active referral report option off of the reports menu in the corresponding screen. This apparatus queries the appropriate databases according to the dates and subject matter experts named. The document manager returns the subject matter expert information. The apparatus then examines each record so returned and writes the corresponding information into a text file. Also a record is created in the Access database and replaces pro-active in the author field so that the maintenance apparatus can determine that is a pro-active SME record. When all the records initially returned are processed, the apparatus executes a word processing algorithm that creates a report in word processor document format. Thereafter, the maintenance individual can execute an algorithm associated with the maintenance apparatus and assign the pro-active questions and answers to other maintenance personnel (block 315).

Detailed Description Text (114):

A maintenance person can also submit a question or answer to a legal or subject matter expert interactively (block 316). For legal review, this is accomplished by selecting Submit to Database from a menu. The apparatus will respond with a prompt querying the user if submitting for legal review first is desired. The user responds accordingly. For SME review, this is accomplished by selecting a SME option provided with a submit menu. The maintenance person is allowed to select the SME as well as other pertinent information. Thereafter, for both legal and SEM reviews, the maintenance apparatus creates a text file that is stored in a directory associated with that maintenance person. Should there be a reference file already in place for that individual the system adds a new line to the file containing the associate information for each subject matter expert that was selected for the question and answer. The individual can then execute a daily legal or subject matter expert report which opens the reference file and reads each record.

Detailed Description Text (116):

The document management apparatus is preferably in a known computer server form (block 318) that is associated with the question and answer databases. The document

management server keeps track of all questions and answers which are stored. For security reasons, maintenance personnel are, in some embodiments, unable to view documents on the document management server directly. The document manager may comprise several other servers which are configured as needed. Similarly, the searching apparatus may also employ a database which, in the preferred embodiment, is stored on a Novell brand server 320 and is used by the maintenance apparatus to perform text searches for the maintenance personnel. This database does not get updated by the maintenance apparatus as described above, but rather is updated periodically.

Detailed Description Text (117):

There is also a periodic upload algorithm executed by the present maintenance apparatus. Typically, this is done on a weekly basis and is used to update certain searching apparatus and document manager databases. The periodic upload algorithm is preferably a batch process which is executed once a week which performs several functions. One function is to process all of the questions/answers that have been updated by the document manager during the week. Questions or answers that need updating have a status of updated document, updated attribute, updated both, delete or new. Secondly, the algorithm rebuilds the searching apparatus database. Lastly, this algorithm builds a file which is used in the "Browse" algorithm detailed above.

Detailed Description Text (118):

The periodic upload algorithm is executed from a workstation which has Access to the system servers. When rebuilding databases, the application initially processes the records in the Access database. The first step is to process all of the questions/answers that have been submitted for legal review. The records for these questions and answers are stored in an associated legal review table. When a question or answer has been returned from legal review, it is moved from one table, the legal review table, to a separate table for reporting purposes. A question or answer can be moved from this table in two ways, first the user can open the question or answer using the maintenance apparatus and set the corresponding status to "submit" or "initial update", if significant changes are necessary. Secondly, if the question or answer has been placed in the legal review table for more than a certain period, seven days for example, then the question and answer is automatically submitted to the database and has its status and the process table set to "submit" and the record is moved accordingly. When all of the legal review records have been processed, the records in the maintenance process table are next processed. This table is the main table that stores the questions/answers information that the maintenance apparatus uses to create its screen presentation for the user. The periodic upload algorithm updates the questions and answers. Those with a status of update documents, update attributes, update both, new or delete in those with an "S" in the proposal number field are processed. The servers are queried for these attributes and the questions and answers that it receives from the query are stored

Detailed Description Text (120):

When updating the attributes for existing questions, an unprotected item is associated with that question or answer's protected item in the database. New attributes are stored in the unprotected item, the algorithm copies all of the attributes from the unprotected item to the protected item, a correct partition is obtained as needed and the searching apparatus index text file is rebuilt. Similarly, the above procedures are followed if both attributes and text need to be updated.

Detailed Description Text (121):

Also with new questions or answers, the attributes and text are added to the database directly. Other questions or answers which are to be deleted are done so accordingly.

Detailed Description Text (122):

The searching apparatus database is built on a periodic basis preferably once a week.

Current US Class (2):

715

CLAIMS:

1. A method for generating a response document prepared in reply to a request for product information, said request including a plurality of questions, the method comprising the steps of:

receiving signals indicative of the questions in a text form;

formatting said question text signals into a corresponding plurality of individual questions;

assigning each of said individual formatted question signals identifier signals;

associating with said formatted question signals, signals indicative of values of associated input parameters;

searching a database having stored therein signals corresponding to a plurality of stored questions, each of said stored questions having associated therewith input parameter signals, said stored questions further being associated with signals corresponding to at least one answer stored on an answer database;

returning signals corresponding to a one of said stored questions having text or input parameter signal values that matches a one of said subject question text or said corresponding input parameter signal values;

selecting one of said stored answer signal values associated with said returned question;

associating each of said subject question signal values with the corresponding one of said selected answer signal values;

assembling said response document so that each of said subject questions and said corresponding answers are located in proximity with one another; and

outputting said response document.

4. The method of claim 1 further comprising the step of interactively searching said question database.

5. The method of claim 1 further comprising the step of searching said answer database directly and returning signals corresponding to a one of said stored answers having text or input parameter signal values that matches a one of said subject question text or said corresponding input parameter signal values.

6. The method of claim 1 further comprising the steps of maintaining said question and answer databases including the steps of

generating, for each of said stored questions, signals corresponding to a text file identifying values of said input parameters for said question;

generating, for each of said stored answers, signals corresponding to a text file identifying values of said input parameters for said answer;

copying said input parameter text files for each of said questions and associated answers to a storage device; and

converting a copy of said question and said answer input parameter text files to a combined document file.

7. A system for generating a response document prepared in reply to a request for product information, said request including a plurality of questions, the system comprising:

a means for receiving signals indicative of the questions in a text form;

a means for formatting said question text signals into a corresponding plurality of individual questions;

a means for assigning each of said individual formatted question signals identifier signals;

a means for associating with said formatted question signals, signals indicative of values of associated input parameters;

a means for searching a database having stored therein signals corresponding to a plurality of stored questions, each of said stored questions having associated therewith input parameter signals, said stored questions further being associated with signals corresponding to at least one answer stored on an answer database;

a means for returning signals corresponding to a one of said stored questions having text or input parameter signal values that matches a one of said subject question text or said corresponding input parameter signal values;

a means for selecting a one of said stored answer signal values associated with said returned question;

a means for associating each of said subject question signal values with the corresponding one of said selected answer signal values;

a means for assembling said response document so that each of said subject questions and said corresponding answers are located in proximity with one another; and

a means for outputting said response document.

8. The apparatus of claim 7 further comprising a means for of maintaining said question and answer databases including:

means for generating, for each of said stored questions, signals corresponding to a text file identifying values of said input parameters for said question;

means for generating, for each of said stored answers, signals corresponding to a text file identifying values of said input parameters for said answer;

means for copying said input parameter text files for each of said questions and associated answers to a storage device; and

means for converting a copy of said question and answer input parameter text files file to a combined document file.

9. The apparatus of claim 7 further comprising:

a word processor means for receiving electrical signal equivalents of the subject

questions;

a database retrieval means for retrieving questions and answers from said question and answer databases; and

a text searching means for comparing said subject question text with text of said retrieved questions and answers and returning selected ones of said questions and answers in dependence on a preselected threshold match of said text and said input parameters between said subject question and said stored questions.

11. The method of claim 1 further comprising the steps of

generating signals indicative of a status of each of said questions and answers;

interrogating said question and answer databases for a select one of said questions or answers;

generating signals corresponding to a work copy of said selected question or answer, including signals corresponding to text and attribute values;

retrieving, for said selected question, signals corresponding to an answer associated with said selected question;

retrieving, for selected answer, signals corresponding to all questions associated with said selected answer;

editing said text or a value of said attributes, producing edited work copy signals;

replace said question or answer database signals corresponding to said question or answer with said edited work copy signals; and

generating signals indicative of a changed question or answer status.

12. The method of claim 11 wherein said status signals further comprise signals indicative of:

(1) closed--a question and answer were found in the database;

(2) send new question--an answer was found but the exact question was not found in the database and has been forwarded to database maintenance;

(3) send new answer--a question and answer were found with other attributes and new answer has been forwarded to database maintenance;

(4) send new Q/A pair--neither question or answer were not found in the database and have been forwarded to the database maintenance;

(5) send revised answer--an answer was found that needs modifications and has been forwarded to the database maintenance;

(6) send revised attributes--an answer was found that needs modification to its attributes and has been forwarded to database maintenance;

(7) pending--question for which an answer has been "used" but has not yet been closed;

(8) referred--a question that was referred to an subject matter expert for answering;

(9) NAQ--a question that is prospect or site specific or requires a table, standard exhibit or illustration as an answer.

13. The method of claim 12 further comprising the steps of monitoring the question and answer databases, including the steps of;

establishing an initial question and answer status;

querying the question and answer databases in accordance with signals indicative of a question and answer threshold date and subject matter expert status;

creating signals associated with said monitored questions and answers indicative of subject matter expert status;

removing from said question and answer databases questions and answers which have been retained therein beyond said threshold date; and

generating report signals indicative of the status of said monitored questions and answers as compared the threshold date and subject matter expert status.

[Previous Doc](#)

[Next Doc](#)

[Go to Doc#](#)